


FRANZ VIEGENER

---

# Domino

---

*i n s t a l l a t i o n*



---

## Domino Faucets - Line J4

---

### CONGRATULATIONS !

This product has been subjected to stringent tests for its quality, performance and finish. We guarantee years of trouble free operation.






We thank you for your choice and above all for the trust you are placing in us. This trust is what motivates us to improve every day.

---

Before connecting the faucet to the water supply, flush the tubing thoroughly to eliminate any residue.



---

## *Required installation tools.*


Provided.	Not provided.
 <p data-bbox="363 1279 496 1361">Aerator tool</p>	 <p data-bbox="1166 1111 1369 1193">Phillips Screwdriver</p>
 <p data-bbox="363 1715 496 1798">Allen wrench</p>	 <p data-bbox="1177 1379 1353 1462">Adjustable wrench</p>  <p data-bbox="1177 1715 1390 1753">Channellock</p>





# Domino Faucets - Line J4





## FV201/J4 Widespread lavatory.










Minimum flow rate out at required constant pressure, 20 PSI and minimum flow rate for feed from 5.3 gal per min (for hot and cold connections): 2.2 gal per min















**FRANZ VIEGENER**

A FV S.A. company.

4000 Porett Drive • Gurnee Illinois 60031

Phone 847-244-1234 / Fax 847-244-1259

FRANZ VIEGENER reserve the right to make revisions without notice in the design of faucets and bathroom accessories or in packaging.  
FOLLFV201/J4 \_ Edition No 1 \_ August, 2011.