


Installation and maintenance / Instalación y mantenimiento


Before connecting the faucet to the water supply, flush the tubing thoroughly to eliminate any residue/
Antes de conectar la grifería a la distribución de agua, purgue muy bien la cañería a fin de eliminar partículas extrañas.

Widespread lavatory / Juego de lavatorio.




Required installation tools

Provided




Aerator Tool

Not Provided




Phillips screwdriver




Channelock


Handle models




K6K



K6V





K7K





K7H


Measures







Minimum flow rate out at required constant pressure, 20 PSI and minimum flow rate for feed from 5.3 gal per min (for hot and cold conections): 2,2 gal per min



Widespread lavatory









Handle installation
Instalación de volante





Installation / Instalación

Spout installation Instalación del pico






Drain installation
Instalación de desagüe



Aerator cleaning




Place the corresponding tool according to the type of aerator you have and remove it. Wash it under a stream of water. If there is any sediment, place it in a glass of vinegar during the night. Put it back the next day.



Attention! Do not use sharp objects to unblock the aerator

WARRANTY: For more information please visit <https://franzviegner.com/warranty/>



FRANZ VIEGENER Customer Service Department

Phone 847-244-3837 - info@franzviegner.com.

4000 Porett Drive - Gurnee, IL, 60031-USA.

Follow us on social media!



Scan the code
to get more
information
about this line.

www.franzviegner.com

FRANZ VIEGENER reserve the right to make revisions without notice in the design of faucets and bathroom accessories or in packaging.
FO-FV203/K6 / June, 2023.