


Groovy

Installation and maintenance / Instalación y mantenimiento

Before connecting the faucet to the water supply, flush the tubing thoroughly to eliminate any residue/
Antes de conectar la grifería a la distribución de agua, purgue muy bien la cañería a fin de eliminar partículas extrañas.

Progressive Cartridge Wall Mounted Single Handle Lavatory Faucet - trim only / Conjunto decorativo para lavatorio monocomando de pared con cartucho progresivo FV209/F4.0



Edge -Wall-mounted lavatory set. Trim only


CONGRATULATIONS!


This product has been subjected to stringent tests for its quality, performance and finish. We guarantee years of trouble free operation.


We thank you for your choice and above all for the trust you are placing in us. This trust is what motivates us to improve every day.

Before connecting the faucet to the water supply, flush the tubing thoroughly to eliminate any residue.


Required installation tools.











Handle installation:









































Spout installation:









Min: 11/16" (17mm) Max: 1 1/8" (28mm)


According to the measured distance, it could be necesary to choose other size of NPT pipe niple (not provided).

*Maximum and minimum distances are in millimeters, measurements in inches are for reference only.

3







Line F4

NOTES	


	Line
N LOTTO	
NOTES	

	Line F
NOTES	
	<u> </u>


Areator cleaning











Place the corresponding tool according to the type of aerator you have and remove it. Wash it under a stream of water. If there is any sediment, place it in a glass of vinegar during the night. Put it back the nex day.



Attention! Do not use sharp objects to unblock the aerator

WARRANTY: For more information please visit https://franzviegener.com/warranty/











FRANZ VIEGENER Customer Service Department (800) 446-9700
Phone 847-244-3837 / Fax 847-249-4049 - info@franzviegener.com
4000 Porett Drive - Gurnee, IL, 60031-USA.
Follow us on social media!



Scan the code
to get more
information
about this line.
www.franzviegener.com